

Viega Holding GmbH & Co. KG
Viega Platz 1
57439 Attendorn
Germany

Phone: +49 (0) 2722 61-0

viega.com



Viega Pressing Tools

Combinability with Systems
and Accessories.



✓ Compatible – Not compatible * Also valid for Profipress G, Profipress S ** Also valid for Sanpress Inox G		System press jaws Picco						System press jaws PT2 + SOM (no longer available)						
		Metallic press connector systems		Thick-walled steel pipes	Plastic piping systems			Metallic press connector systems						
Press jaw	Press ring	Press chain												
Model No./Article No.	2484.9	2489.9	4284.9	2784.7	5384.7	2484.7	2299.9	2299.2	2299.62/449 377	2299.6/313 012	2299.91	2299.4/262 211		
Dimensions mm	12–35 mm	12–35 mm	3/8–3/4 inch	14–32 mm	16–40 mm	12–40 mm	12–54 mm	12–54, 14/16 mm	15–28 mm	12–35 mm	42–54 mm	42–54 mm		
Bolt-Ø	12 mm	12 mm	12 mm	12 mm	12 mm	12 mm	14 mm	15 mm (SOM)	14/15 mm (SOM)	14/15 mm (SOM)	14/15 mm (SOM)	15 mm (SOM)		
Systems	Profipress*, Seapress, Sanpress, Sanpress Inox**, Prestabo, Easytop, Gas fittings		Megapress	Smartpress	Raxofix, Raxinox 16, 20	Sanfix, Sanfix Fosta, Fonterra	Profipress*, Seapress, Sanpress, Sanpress Inox**, Prestabo, Easytop, Gas fittings							
Available		Pressgun Picco	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
		Pressgun 5 with battery or mains cable	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Press Booster	–	–	–	–	–	–	–	–	–	–	–	–
Older models (no longer available)		Pressgun Picco	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
		Pressgun 4E	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Pressgun 4B	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Picco	✓	✓	✓	✓	✓	✓	–	–	–	–	–	–
		PT3-EH/H	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		PT3-AH	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Akku-Presshandy	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Battery-System pressing tool REC-SAN	–	–	–	–	–	–	–	–	–	–	–	–
		Typ 2	–	–	–	–	–	–	✓	✓	✓	✓	✓	✓
		Typ 1	–	–	–	–	–	–	–	✓	✓ only SOM	✓ only SOM	✓ only SOM	✓

✓ Compatible – Not compatible * Also valid for Profipress G, Profipress S ** Also valid for Sanpress Inox G		System press jaws PT2 + SOM (no longer available)											System press rings/ System press chains
		Thick-walled steel pipes			Plastic piping systems					Raxofix / Raxinox			Articulated tension jaw
Press jaw Press ring Press chain Model No./Article No. Dimensions mm Bolt-Ø		 2299.4M/315 337 42–54 mm 15 mm	 4299.9 ¾–1 inch 14 mm	 4299.61 ½–2 inch 14 mm	 2799.7/425 302 12–63 mm 14 mm	 2299.7 14–63 mm 14 mm/15 mm	 2299.8/357 139 16 and 20 mm 14/15 mm	 2299.81/490 652 16–32 mm 14/15 mm	 2299.41/612 191 50 and 63 mm 14 mm	 5399.7 16–63 mm 14 mm	 5399.8/645 380 16–20 mm 14 mm	 5399.81/645 397 16–32 mm 14 mm	 P1 2496.1/622 657 12–35 mm 12 mm
Systems		Megapress			Smartpress, Fonterra, Smartloop, Pexfit Pro	Sanfix, Sanfix Fosta, Fonterra	Sanfix, Sanfix Fosta			Raxofix, Raxinox 16, 20	Raxofix, Raxinox	Raxofix, Raxinox 16, 20	Profipress*, Seapress, Prestabo, Sanpress Inox**, Sanpress, Megapress
Available	 Pressgun Picco Facelift 2015	–	–	–	–	–	–	–	–	–	–	–	✓
	 Pressgun 5 with battery or mains cable	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–
	 Press Booster	–	–	–	–	–	–	–	–	–	–	–	–
Older models (no longer available)	 Pressgun Picco	–	–	–	–	–	–	–	–	–	–	–	✓
	 Pressgun 4E	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–
	 Pressgun 4B	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–
	 Picco	–	–	–	–	–	–	–	–	–	–	–	✓
	 PT3-EH/H	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–
	 PT3-AH	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–
	 Akku- Presshandy	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–
	 Battery- System pressing tool REC-SAN	–	–	–	–	–	–	–	–	–	–	–	–
	 Typ 2	✓ only 42 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	–
	 Typ 1	–	–	–	–	✓ only SOM	✓ only SOM	✓ SOM	–	–	–	–	–

✓ Compatible
 – Not compatible
 * Also valid for Profipress G, Profipress S
 ** Also valid for Sanpress Inox G

System press rings/System press chains

System press rings/System press chains

Metallic press connector systems

Thick-walled steel pipes

Plastic piping systems

Press jaw
 Press ring
 Press chain

Model No./Article No.
 Dimensions mm
 Bolt-Ø



2497.3XL/562 854
 76,1–108,0 mm
 14 mm



2297.2XL
 76,1–108,0 mm



2297.3XL/362 959
 76,1–108,0 mm
 14 mm



4296.1
 ½–2 inch



4299.61
 ½–2 inch
 14 mm



4296.1XL
 2½–4 inch



2796.1
 16–32 mm



9796.1
 32–63 mm



9796.7
 25–63 mm



9696.1
 25–63 mm



9696.6/469 764
 20–25 mm
 14 mm

Systems

Prestabo XL, Sanpress Inox XL,
 Sanpress Inox G XL, Profipress XL,
 Seapress XL

Sanpress XL
 (gunmetal)

Megapress

Smartpress,
 Pexfit Pro,
 Pexfit Fosta

Geopress K

Geopress

Available



Pressgun
 Picco
 Facelift 2015

–

–

–

✓
 ½–¾ inch

–

–

✓
 ≤ 32 mm

–

–

–

–



Pressgun 5
 with battery or
 mains cable

✓

✓

✓

✓

✓

–

✓

✓

✓

✓

✓



Press
 Booster

–

–

–

–

–

✓

–

–

–

–

–

Older models (no longer available)



Pressgun
 Picco

–

–

–

✓
 ½–¾ inch

–

–

✓
 ≤ 32 mm

–

–

–

–



Pressgun 4E

✓

✓

✓

✓

✓

–

✓

✓

✓

✓

✓



Pressgun 4B

✓

✓

✓

✓

✓

–

✓

✓

✓

✓

✓



Picco

–

–

–

✓
 ½–¾ inch

–

–

✓
 ≤ 32 mm

–

–

–

–



PT3-EH/H

✓

✓

✓

✓

✓

–

✓

✓

✓

✓

✓



PT3-AH

✓

✓

✓

✓

✓

–

✓

✓

✓

✓

✓



Akku-
 Presshandy

✓

✓

✓

✓

✓

–

✓

✓

✓

✓

✓



Battery-
 System
 pressing tool
 REC-SAN

–

–

–

–

–

–

–

–

–

–

–



Typ 2

✓

✓

✓

✓

✓

–

✓

✓

✓

✓

✓



Typ 1

–

–

–

–

–

–

–

–

–

–

–

✓ Compatible – Not compatible * Also valid for Profipress G, Profipress S ** Also valid for Sanpress Inox G		System press rings / System press chains		Press jaw insets			Press-in branch connector tools
		Plastic piping systems	Raxofix / Raxinox	Metallic press connector systems	for metal and plastic (no longer available)	Plastic piping systems	Thick-walled steel pipes
 Model No. / Article No. Dimensions mm Bolt-Ø							
	9696.7 / 469 771 32–63 mm 14 mm	5396.1 16–63 mm	2499.2 12–22 mm	Combi press jaw 2298.3 / 301 057 15 mm	2499.1 12–20 mm	4278.5 1½–6 inch	
Systems		Geopress	Raxofix, Raxinox 16, 20	Profipress*, Seapress, Prestabo, Sanpress Inox**, Sanpress	Profipress*, Seapress, Prestabo, Sanpress Inox**, Sanpress 12–22 mm, Sanfix, Sanfix Fosta 14–20 mm	Sanfix, Sanfix Fosta	Megapress
Available		Pressgun Picco Facelift 2015	–	✓ ≤ 40 mm	–	–	–
		Pressgun 5 with battery or mains cable	✓	✓	–	✓	–
		Press Booster	–	–	–	–	–
Older models (no longer available)		Pressgun Picco	–	✓ ≤ 40 mm	–	–	–
		Pressgun 4E	✓	✓	–	✓	–
		Pressgun 4B	✓	✓	–	✓	–
		Picco	–	✓ ≤ 40 mm	–	–	–
		PT3-EH/H	✓	✓	–	✓	–
		PT3-AH	✓	✓	–	✓	–
		Akku- Presshandy	✓	✓	–	✓	–
		Battery- System pressing tool REC-SAN	–	–	✓	–	✓
		Typ 2	✓	✓	–	✓	–
		Typ 1	–	–	–	✓	–