



Bronzani navojni fitting

Cevna tehnika

R2



Navojni fitinzi u skladu sa DIN EN 10226, deo 1, odobreni za vodovodne instalacije prema DIN 1988 i gasne instalacije prema TRGI 2008 (imajte u vidu napomene za određene modele), ispitano prema radnom listu DVGW GW 6 i GW 393.

Sertifikati

Bronzani navojni fitinzi – DVGW reg. br. DV-7401AO2957

Navojni spojevi

R spoljašnji navoj fabrički nazubljen – moguće postavljanje kudelje bez grube obrade navoja.

SADRŽAJ
Artikli od bronz

Lukovi, kolena	220
Zidne pločice	221
T-komadi, Spojnice	221
Spojnice, Prelazi, Produženja	222
Navojne spojnice, kape, prirubnice	227

Artikli od mesinga

Čep	230
-----	-----

Hromirane spojnice

Lukovi, kolena	231
Zidne pločice	231
T-komadi, Spojnice	231
Spojnice, Prelazi	232
Čep	235
Dvostruki prikjučni komadi	235
Spojnice za gipku cev	236



4 015211 305611

GTIN-kod (Global Trade item Number, pre EAN)

GTIN-kod se sastoji od fiksne šifre proizvođača 4015211 i dotičnog šestocifrenog broja artikla, u ovom primeru 305 611. Zamena zadnjih šest mesta u oznaci brojem artikla daje GTIN-kod.

**ARTIKLI OD BRONZE
LUKOVI, KOLENA**


Luk 90°
- bronza
- Rp-navoj
Model 3090

Rp1	Rp2	PJ	Artikal		
1/8	1/8	10	441 074		
1/4	1/4	10	317 959		
3/8	3/8	10	281 717		
1/2	1/2	10	269 272		
1/2	3/8	10	320 676		
3/4	3/4	10	269 258		
3/4	1/2	10	320 669		
1	1	5	269 234		
1	3/4	5	320 683		
1 1/4	1 1/4	1	269 210		
1 1/2	1 1/2	1	269 197		
2	2	1	269 296		
2 1/2	2 1/2	1	321 796		
3	3	1	650 698		



Luk 90°
- bronza
- R-navoj, Rp-navoj
Model 3092

R	Rp	PJ	Artikal		
1/4	1/4	10	318 000		
3/8	3/8	10	281 748		
1/2	1/2	10	264 024		
3/4	3/4	10	264 000		
1	1	5	264 048		
1 1/4	1 1/4	1	264 109		
1 1/2	1 1/2	1	264 123		
2	2	1	264 147		
2 1/2	2 1/2	1	321 710		
3	3	1	650 704		



Koleno 90°
- bronza
- R-navoj
Model 3091

R	PJ	Artikal		
3/8	5	317 966		
1/2	10	317 973		
3/4	10	317 980		
1	5	317 997		




Luk 45°
- bronza
- Rp-navoj
Model 3120

Rp	PJ	Artikal		
3/8	5	318 048		
1/2	5	320 690		
3/4	5	320 645		
1	5	320 652		
2	1	650 728		




Luk 45°
- bronza
- R-navoj, Rp-navoj
Model 3121

R	Rp	PJ	Artikal		
3/8	3/8	5	281 755		
1/2	1/2	5	264 208		
3/4	3/4	5	264 185		
1	1	5	264 161		
1 1/4	1 1/4	1	448 271		
1 1/2	1 1/2	1	448 288		
2	2	1	650 711		



Luk 90°
- bronza
- Rp-navoj, R-navoj
- dugačka varijanta
Oprema
Višestрана varijanta
Model 3001


R	Rp	PJ	Artikal		
1	1	1	294 571		
1 1/4	1 1/4	1	294 595		
1 1/2	1 1/2	1	294 618		



- Luk 90°**
 - bronza
 - R-navoj
 - dugačka varijanta

Oprema
 Višestрана varijanta
Model 3003

R	PJ	Artikal
1	1	294 632
1¼	1	294 656



- S-koleno**
 - za sledeće komponente ili namene: izjednačenje razmaka kod priključnih ploča za vodomere (pomak kod 1" = 70 mm, kod 1¼" = 80 mm),

- bronza
 - R-navoj, Rp-navoj
Model 3004

R	Rp	PJ	Artikal
1	1	1	296 667
1¼	1¼	1	296 643*

* = Isporuка samo još iz zaliha na skladištu

 ARTIKLI OD BRONZE
 ZIDNE PLOČICE


- Zidna pločica**
 - bronza
 - Rp-navoj
Oprema
 Pričvrtna prirubnica
Model 3471

Rp	PJ	Artikal
½	5	259 778
¾	10	441 449

R2

 ARTIKLI OD BRONZE
 T-KOMADI, SPOJNICE


- T-komad**
 - bronza
 - Rp-navoji
Model 3130

Rp1	Rp2	Rp3	PJ	Artikal
½	½	½	5	441 081
¼	¼	¼	10	318 017
¾	¾	¾	10	281 809
½	½	½	10	264 222
½	¾	½	5	264 444
¾	¾	¾	5	264 246
¾	½	½	5	362 492
¾	½	¾	5	264 468
¾	¾	½	5	362 508
1	1	1	5	264 260
1	½	1	5	362 515
1	¾	1	5	264 420
1	1	½	5	362 522
1¼	1¼	1¼	1	264 284
1¼	½	1¼	1	650 735
1¼	¾	1¼	1	650 742
1½	1½	1½	1	264 307
1½	½	1½	1	650 759
1½	¾	1½	1	650 766
2	2	2	1	264 321
2	1	2	1	650 773
2½	2½	2½	1	321 734
3	3	3	1	321 727



- Krst komad**
 - bronza
 - Rp-navoj
Model 3180

Rp	PJ	Artikal
¾	5	318 024
½	5	320 614
¾	5	320 621
1	1	320 638



Spojnica
- bronza
- Rp-navoj
Model 3270

Rp	PJ	Artikal		
1/8	10	441 395		
1/4	10	319 137		
3/8	10	282 349		
1/2	10	266 585		
3/4	10	266 554		
1	10	266 561		
1 1/4	1	266 578		
1 1/2	1	267 766		
2	1	267 780		
2 1/2	1	271 916		
3	1	271 930		



Reducir spojnica
- bronza
- Rp-navoj
Model 3240

Rp1	Rp2	PJ	Artikal		
3/8	1/4	10	282 103		
1/2	1/4	10	318 031		
1/2	3/8	10	268 879		
3/4	3/8	10	266 370		
3/4	1/2	10	268 862		
1	1/2	10	266 363		
1	3/4	10	266 356		
1 1/4	3/4	5	266 431		
1 1/4	1	1	266 417		
1 1/2	3/4	1	271 879		
1 1/2	1	1	267 520		
1 1/2	1 1/4	1	266 394		
2	1 1/4	1	271 893		
2	1 1/2	1	267 544		
2 1/2	2	1	271 855		
3	2 1/2	1	650 780		

ARTIKLI OD BRONZE SPOJNICE, PRELAZI, PRODUŽENJA



Spojnica
- bronza
- G-navoj
Uputstvo
Nije preporučljivo za instalacije pitke vode i gasa!
Model 3531

G	PJ	Artikal		
1/4	10	322 076		
3/8	10	322 113		
1/2	10	322 106		
3/4	10	322 090		
1	10	322 083		
1 1/4	1	322 144		
1 1/2	1	322 137		
2	1	322 120		



Dvostruka spojnica
- bronza
- R-navoj
Oprema
Višestрана varijanta
Model 3280

R	PJ	Artikal		
1/8	10	441 401		
1/4	10	320 416		
3/8	10	282 356		
1/2	10	266 592		
3/4	10	266 615		
1	10	266 608		
1 1/4	1	269 135		
1 1/2	1	269 111		
2	1	269 098		
2 1/2	1	321 741		
3	1	321 789		



Redukcija
 - bronza
 - R-navoj
Oprema
 Višestrana varijanta
Model 3245

R1	R2	PJ	Artikal
¼	¼	10	441 364
¾	¼	10	282 127
½	¼	10	319 526
½	¾	10	266 530
¾	¾	10	319 113
¾	½	10	266 523
1	½	10	320 287
1	¾	10	266 547
1¼	¾	1	320 119
1¼	1	1	269 173
1½	1	1	321 697
1½	1¼	1	269 159
1¾	1½	1	441 371
2	1¼	1	320 270
2	1½	1	321 680
2½	2	1	650 803
3	2½	1	443 177



Redukcija
 - bronza
 - R-navoj, G-navoj
Oprema
 Navoj nazubljen, višestrana varijanta
Model 3246

R	G	mlk	PJ	Artikal
¾	½	✓	10	441 517
½	½	✓	1	449 339
½	¾	✓	10	441 524
¾	¾	✓	5	449 346
½	1	✓	1	446 765
¾	1	✓	10	441 531
1	1	✓	5	446 772
1	1¼	✓	10	446 789
1¼	1½	✓	1	446 796
1½	1¾	✓	10	446 802
2	2¾	✓	1	441 388*
2½	3	✓	1	446 826*

mlk = sa unutrašnjim konusom
 * = Isporuka samo još iz zaliha na skladištu



Redukcija
 - bronza
 - R-navoj, G-navoj
Oprema
 Navoj nazubljen, višestrana varijanta
Model 3247

R	G	PJ	Artikal
½	¼	10	458 775
¼	¾	10	458 782
¼	½	10	458 799
¾	½	10	458 805
¾	¾	10	458 812
½	¾	10	446 833
½	1	10	458 829
¾	1	10	446 840
¾	1¼	5	458 836
1	1¼	1	446 857
1	1½	5	458 843
1¼	1½	1	446 864
1½	2	5	458 850



Redukcija
 - bronza
 - G-navoj, Rp-navoj
Oprema
 Navoj nazubljen, višestrana varijanta
Model 3243

G	Rp	mlk	PJ	Artikal
¾	¼	✓	10	441 487
½	¾	✓	10	446 666
¾	½	✓	10	441 494
1	¾	✓	10	446 673
1	1	✓	5	449 315
1¼	1	✓	1	446 680
1½	1¼	✓	1	446 697

mlk = sa unutrašnjim konusom



Redukcija
 - bronza
 - G-navoj, Rp-navoj
Oprema
 Navoj nazubljen, višestrana varijanta
Model 3244

G	Rp	PJ	Artikal
¾	½	10	446 734
1	¾	5	446 741
1¼	1	1	446 758


Redukcija

- bronza
- R-navoj, Rp-navoj

Oprema

Višestрана varijanta

Model 3241

R	Rp	PJ	Artikal		
¼	¼	10	441 104		
¾	¾	10	441 111		
¾	¼	10	281 823		
½	¼	10	441 098		
½	¼	10	319 076		
½	¾	10	266 516		
¾	¼	10	320 409		
¾	¾	10	266 509		
¾	½	10	266 493		
1	¾	10	266 455		
1	½	10	266 486		
1	¾	10	266 479		
1¼	½	1	267 582		
1¼	¾	1	267 568		
1¼	1	5	266 462		
1½	½	1	267 742		
1½	¾	1	267 728		
1½	1	10	267 605		
1½	1¼	1	267 704		
2	½	1	317 089		
2	¾	1	267 681		
2	1	1	267 667		
2	1¼	1	267 643		
2	1½	1	267 629		
2½	1	1	321 772		
2½	1¼	1	321 765		
2½	1½	1	321 864		
2½	2	1	322 533		
3	1½	1	321 840		
3	2	1	321 857		
3	2½	1	321 871		
4	3	1	321 888		


Redukcija

- bronza
- R-navoj, Rp-navoj

- okruglog oblika

Model 3242

R	Rp	PJ	Artikal		
¼	¼	10	441 128		
¼	¾	10	441 135		
¼	¾	10	322 540		
¾	½	10	322 564		
¾	¾	10	322 557		
½	¾	10	319 083		
½	¾	10	320 423		
½	1	10	320 430		
½	1¼	10	650 889		
¾	½	10	441 142		
¾	1	10	335 311		
¾	1¼	10	441 357		
¾	1½	10	650 841		
1	1¼	10	359 348		
1	1½	10	650 858		
1	2	1	650 872		
1¼	1½	10	650 865		


Dugačka spojnica

- bronza

- R-navoj

Model 3530

R	L	PJ	Artikal		
¼	40	1	441 456		
¼	60	1	441 463		
¼	80	1	441 470		
¼	100	1	441 555		
¾	40	10	282 400		
¾	60	10	282 417		
¾	80	5	282 424		
¾	100	5	282 431		
¾	120	5	282 448		
¾	150	1	282 455		
¾	200	1	282 462		
½	40	10	267 308		
½	50	10	650 896		
½	60	10	267 315		
½	70	1	449 216		
½	80	5	267 322		
½	90	5	650 919		


Dugačka spojnica

- bronza
- R-navoj
Model 3530

R	L	PJ	Artikal
½	100	5	267 339
½	110	5	650 926
½	120	5	267 346
½	140	5	319 700
½	150	5	267 353
½	160	1	319 717
½	180	1	319 724
½	200	5	267 377
¾	40	10	267 384
¾	50	10	650 933
¾	60	10	267 391
¾	70	10	650 940
¾	80	5	267 407
¾	90	10	650 957
¾	100	5	267 414
¾	110	5	650 964
¾	120	5	267 421
¾	140	1	318 413
¾	150	1	267 438
¾	160	1	318 420
¾	180	1	318 437
¾	200	1	267 445
1	40	5	267 247
1	50	5	650 971
1	60	5	267 254
1	70	5	650 988
1	80	5	267 261
1	90	5	650 995
1	100	5	267 278
1	110	5	651 008
1	120	5	267 285
1	150	1	267 292
1	200	1	319 694
1¼	50	5	651 015
1¼	60	5	318 482
1¼	70	5	651 022
1¼	80	5	318 499
1¼	90	5	651 039
1¼	100	5	318 505
1¼	110	5	651 046
1¼	120	5	318 512
1¼	150	1	318 529
1¼	200	1	318 536
1½	50	5	651 053
1½	60	5	319 755
1½	70	5	651 060
1½	80	5	319 762
1½	90	5	651 077
1½	100	5	319 779
1½	120	1	319 786
1½	150	1	319 748
1½	200	1	319 731
2	50	5	651 084
2	60	5	319 847
2	70	5	651 091
2	80	5	319 830
2	90	1	651 107
2	100	5	319 823
2	120	1	319 816
2	150	1	319 809
2	200	1	319 793


Dugačka spojnica

- bronza

Oprema

Višeugaono udubljenje

Uputstvo

Nije preporučljivo za instalacije pitke vode i gasa!

Model 3535

G	L	PJ	Artikal
3/8	40	5	319 670
3/8	60	5	319 267
3/8	80	5	319 335
3/8	100	5	319 281
3/8	120	5	319 687
1/2	40	5	319 274
1/2	60	5	319 366
1/2	80	5	319 359
1/2	100	5	319 342
1/2	120	5	319 656
3/4	40	5	319 328
3/4	60	5	319 298
3/4	80	5	319 304
3/4	100	5	319 311
3/4	120	5	319 663
1	40	5	319 250
1	60	5	319 243
1	80	5	319 236
1	100	5	319 229
1	120	5	319 649


Produžetak

- bronza

- R-navoj, Rp-navoj

Oprema

Višeugaono udubljenje

Model 3525

R	Rp	L	Rpk	PJ	Artikal
3/8	3/8	10		10	440 312 ¹
3/8	3/8	15		10	354 923
3/8	3/8	20		10	354 930
3/8	3/8	25		10	354 947
3/8	3/8	30		10	354 954
3/8	3/8	40		5	359 539
3/8	3/8	50	✓	5	359 553
1/2	1/2	12,5		10	364 854 ¹
1/2	1/2	15		10	651 121 ¹
1/2	1/2	17,5		10	354 961
1/2	1/2	20		10	354 978
1/2	1/2	25		10	354 985
1/2	1/2	30		10	354 992
1/2	1/2	40		10	355 005
1/2	1/2	50	✓	10	355 012
1/2	1/2	65	✓	10	357 221
1/2	1/2	80	✓	10	357 238
1/2	1/2	100	✓	5	357 245
1/2	1/2	120		5	440 299
1/2	1/2	150		5	440 305
3/4	3/4	12,5		10	440 558 ¹
3/4	3/4	15		10	364 861 ¹
3/4	3/4	20		10	355 029
3/4	3/4	25		10	355 036
3/4	3/4	30		10	355 043
3/4	3/4	40		10	355 050
3/4	3/4	50	✓	10	357 252
3/4	3/4	65	✓	1	357 269
3/4	3/4	80	✓	1	359 584
3/4	3/4	100	✓	1	359 577
1	1	15		10	440 572 ¹
1	1	20		10	440 589 ¹
1	1	25		10	357 184
1	1	30		10	357 191
1	1	40		10	357 207
1	1	50		10	357 214
1	1	65		5	440 596
1	1	80		5	440 466
1	1	100		5	440 473
1 1/4	1 1/4	20		10	440 497 ¹
1 1/4	1 1/4	25		5	440 503
1 1/4	1 1/4	30		5	440 510
1 1/4	1 1/4	40		5	440 527
1 1/4	1 1/4	50		5	440 534

Rpk = Rp-navoj, skrativ

¹⁾ bez DVGW-ispitnog znaka

ARTIKLI OD BRONZE
 NAVOJNE SPOJNICE, KAPE, PRIRUBNICE


Navojna spojnica
 - bronza
 - R-navoj
 - sa ravnim zaptivanjem
Oprema
 Pljosnati zaptivač AFM 34
Model 3334

R	PJ	Artikal		
$\frac{3}{8}$	5	320 188		
$\frac{1}{2}$	5	320 195		
$\frac{3}{4}$	5	320 201		
1	5	320 218		



Navojna spojnica
 - bronza
 - R-navoj
 - sa konusnim zaptivanjem
Oprema
 Višestрана varijanta
Uputstvo
 Nije pogodno i instalacije gasa!
Model 3344

R	PJ	Artikal		
$\frac{3}{8}$	10	446 871		
$\frac{1}{2}$	10	446 888		
$\frac{3}{4}$	5	446 895		
1	5	446 901		



Navojna spojnica
 - bronza
 - Rp-navoj
 - sa ravnim zaptivanjem
Oprema
 Višestрана varijanta, pljosnati zaptivač AFM 34
Model 3330

Rp	PJ	Artikal		
$\frac{1}{4}$	5	441 432		
$\frac{3}{8}$	1	282 363		
$\frac{1}{2}$	1	271 022		
$\frac{3}{4}$	1	271 039		
1	1	271 046		
$1\frac{1}{4}$	1	271 053		
$1\frac{1}{2}$	1	271 060		
2	1	271 077		
$2\frac{1}{2}$	1	651 138		
3	1	651 145		



Navojna spojnica
 - bronza
 - Rp-navoj
 - sa konusnim zaptivanjem
Oprema
 Višestрана varijanta
Uputstvo
 Nije pogodno i instalacije gasa!
Model 3340

Rp	PJ	Artikal		
$\frac{1}{4}$	5	449 414		
$\frac{3}{8}$	10	446 925		
$\frac{1}{2}$	10	446 932		
$\frac{3}{4}$	5	446 949		
1	5	446 956		
$1\frac{1}{4}$	5	446 963		
$1\frac{1}{2}$	1	446 970		
2	1	446 987		



Navojna spojnica
 - bronza
 - R-navoj, Rp-navoj
 - sa ravnim zaptivanjem
Oprema
 Pljosnati zaptivač AFM 34
Model 3331

R	Rp	PJ	Artikal		
$\frac{3}{8}$	$\frac{3}{8}$	1	282 370		
$\frac{1}{2}$	$\frac{1}{2}$	1	271 374		
$\frac{3}{4}$	$\frac{3}{4}$	1	271 367		
1	1	1	271 350		
$1\frac{1}{4}$	$1\frac{1}{4}$	1	271 343		
$1\frac{1}{2}$	$1\frac{1}{2}$	1	271 336		
2	2	1	271 329		
$2\frac{1}{2}$	$2\frac{1}{2}$	1	651 152		
3	3	1	651 169		



Navojna spojnica
 - bronza
 - R-navoj, Rp-navoj
 - sa konusnim zaptivanjem
Oprema
 Višestрана varijanta
Uputstvo
 Nije pogodno i instalacije gasa!
Model 3341

R	Rp	PJ	Artikal		
$\frac{3}{8}$	$\frac{3}{8}$	5	446 994		
$\frac{1}{2}$	$\frac{1}{2}$	10	447 007		
$\frac{3}{4}$	$\frac{3}{4}$	10	447 014		
1	1	5	447 021		
$1\frac{1}{4}$	$1\frac{1}{4}$	5	447 038		
$1\frac{1}{2}$	$1\frac{1}{2}$	1	447 045		
2	2	1	447 052		


Navojna spojnica

- bronza
- R-navoj, Rp-navoj
- sa konusnim zaptivanjem, ugaona varijanta

Oprema


Višestрана varijanta

Uputstvo

Nije pogodno i instalacije gasa!

Model 3098

R	Rp	PJ	Artikal
3/8	3/8	1	148 041
1/2	1/2	1	145 804


Navojna spojnica

- bronza
- R-navoj, Rp-navoj
- sa ravnim zaptivanjem, ugaona varijanta

Oprema

Višestрана varijanta, pljosnati zaptivač AFM 34

Model 3088

R	Rp	PJ	Artikal
1/2	1/2	10	348 663
3/4	3/4	10	348 670
1	1	5	348 687
1 1/4	1 1/4	5	348 694
1 1/2	1 1/2	1	348 700
2	2	1	348 717


Navojna spojnica

- bronza
- R-navoj, G-navoj
- sa ravnim zaptivanjem

Oprema

Višestрана varijanta, pljosnati zaptivač AFM 34

Model 3335

R	G	PJ	Artikal
3/8	1/2	1	320 225
1/2	3/4	1	320 232
3/4	1	1	320 249
1	1 1/4	1	320 256
1 1/4	1 1/2	1	319 618
1 1/2	1 3/4	1	319 625
2	2 3/8	1	319 632


Sanpress XL-Prirubnica PN 16

- bronza
- Rp-navoj

Model 2259.2XL

DN	Rp	PJ	Artikal
80	3	1	641 603
100	4	1	641 610


Čep

- bronza
- R-navoj

Oprema

Četvorostrana varijanta

Model 3291

R	PJ	Artikal
1/8	10	441 418*
1/4	10	320 072
3/8	10	281 847
1/2	10	266 646
3/4	10	266 639
1	10	266 622
1 1/4	1	268 237
1 1/2	1	268 190
2	1	268 213
2 1/2	1	321 758

* = Isporuка samo još iz zaliha na skladištu


Čep

- bronza
- R-navoj

Oprema

Četvorostrana varijanta, spoljni rub

Model 3290

R	PJ	Artikal
1/8	10	441 425
1/4	10	320 133
3/8	10	320 096
1/2	10	320 102
3/4	10	320 089
1	10	320 294
1 1/4	1	322 175
1 1/2	1	322 168
2	1	322 151


Kapa

- bronza
- Rp-navoj

Oprema

Višestрана varijanta

Model 3301

Rp	PJ	Artikal		
¼	10	319 151		
⅜	10	281 854		
½	10	266 660		
¾	10	266 653		
1	10	268 367		
1¼	1	268 305		
1½	1	268 329		
2	1	268 343		


Produžetak za slavinu

- bronza
- R-navoj, Rp-navoj

Oprema

Čep, višestugaono udubljenje

Uputstvo

Nije pogodno i instalacije gasa!

Model 3527

R	Rp	L	Rpk	PJ	Artikal		
½	½	50	✓	10	320 263		

Rpk = Rp-navoj, skrativ

ARTIKLI OD MESINGA
ČEP

Čep

- mesing
- G-navoj

Oprema

Četvorostrana varijanta

Model 1751

G	PJ	Artikal		
1/8	10	106 676		
1/4	10	102 173		
3/8	10	101 756		
1/2	10	100 797		
3/4	10	101 626		
1	10	102 883		
1 1/2	10	106 584		


Čep za probu na pritisak

- plastika
- G-navoj

Oprema

Zaptivač

Model 1516

G	PJ	Artikal		
3/8	10	107 796		
1/2	10/100	100 124		
3/4	10	102 746		


Čep za probu na pritisak

- za sledeće komponente iii
- namene: provera nepropusnosti
- plastika
- G-navoj
- otporan na vruću vodu

Oprema

Zaptivač, metalni navojni umetak

Model 1516.113

G	PJ	Artikal		
3/8	10	116 644		
1/2	10	100 766		
3/4	10	107 666		


Čep za probu na pritisak

- za sledeće komponente iii
- namene: provera nepropusnosti
- plastika
- G-navoj

Oprema

Imbus vijak

Model 1516.512

G	PJ	Artikal		
1/2	10	105 419		


Šestostrana matica

- mesing
- G-navoj

Model 1911

G	PJ	Artikal		
1/8	5	117 290		
1/4	5	109 264		
3/8	10	104 696		
1/2	10	102 241		
3/4	10	103 347		
1	10	106 195		
1 1/4	5	113 391		
1 1/2	5	120 115		
2	5	128 302		

HROMIRANE SPOJNICE
 LUKOVI, KOLENA

Luk 90°
 - mesing
 - Rp-navoj
Model 1612

Rp	VCR	PJ	Artikal
3/8	✓	10	112 639
1/2	✓	10	105 600
3/4	✓	5	112 141
1	✓	5	124 397

VCR = hromirano


Koleno 90°
 - mesing
 - R-navoj, Rp-navoj
Model 1613

R	Rp	VCR	PJ	Artikal
1/4	1/4	✓	10	135 935
3/8	3/8	✓	10	106 645
1/2	1/2	✓	10	102 586
3/4	3/4	✓	5	107 758
1	1	✓	5	121 457

VCR = hromirano


Koleno 90°
 - mesing
 - R-navoj
Model 1611

R	VCR	PJ	Artikal
3/8	✓	10	125 059
1/2	✓	10	110 680
3/4	✓	10	131 586

VCR = hromirano


Luk 45°
 - mesing
 - Rp-navoj
Model 1614

Rp	VCR	PJ	Artikal
3/4	✓	5	125 769

VCR = hromirano


Luk 45°
 - mesing
 - R-navoj, Rp-navoj
Model 1615

R	Rp	VCR	PJ	Artikal
3/8	3/8	✓	5	139 001
1/2	1/2	✓	5	115 555


VCR = hromirano

 HROMIRANE SPOJNICE
 ZIDNE PLOČICE

Zidna pločica
 - mesing
 - Rp-navoj
Model 1421

Rp1	Rp2	VCR	PJ	Artikal
1/2	1/2	✓	10	109 158
1/2	3/8	✓	1	113 209
3/4	3/4	✓	5	127 800

VCR = hromirano

 HROMIRANE SPOJNICE
 T-KOMADI, SPOJNICE

T-komad
 - mesing
 - Rp-navoj
Model 1622

Rp1	Rp2	Rp3	VCR	PJ	Artikal
3/8	3/8	3/8	✓	10	114 275
1/2	1/2	1/2	✓	10	105 525
3/4	3/4	3/4	✓	5	111 762
1	1	1	✓	5	130 190

VCR = hromirano



Spojnica
- bronza
- Rp-navoj
Model 3270

Rp	VCR	PJ	Artikal
3/8	✓	5	447 755
1/2	✓	5	447 762
3/4	✓	5	447 779
1	✓	1	447 786

VCR = hromirano



Reducir spojnica
- bronza
- Rp-navoj
Model 3240

Rp1	Rp2	VCR	PJ	Artikal
3/8	1/4	✓	5	447 809
1/2	3/8	✓	5	447 816
3/4	1/2	✓	5	447 823
1	1/2	✓	5	447 830
1	3/4	✓	5	447 847

VCR = hromirano

HROMIRANE SPOJNICE SPOJNICE, PRELAZI



Dvostruka spojnica
- bronza
- R-navoj
Oprema
Višestrana varijanta
Model 3280

R	VCR	PJ	Artikal
1/8	✓	5	447 878*
1/4	✓	5	447 885
3/8	✓	5	447 892
1/2	✓	5	447 908
3/4	✓	5	447 915
1	✓	5	447 922

VCR = hromirano

* = Isporučka samo još iz zaliha na skladištu



Redukcija
- bronza
- R-navoj, G-navoj
Oprema
Navoj nazubljen, višestrana varijanta
Model 3246

R	G	VCR	mlk	PJ	Artikal
3/8	1/2	✓	✓	5	448 219
1/2	3/4	✓	✓	10	448 226
1/2	1	✓	✓	1	448 233
3/4	1	✓	✓	5	448 240*
1	1 1/4	✓	✓	1	448 257

VCR = hromirano

mlk = sa unutrašnjim konusom

* = Isporučka samo još iz zaliha na skladištu



Redukcija
- bronza
- R-navoj, G-navoj
Oprema
Navoj nazubljen, višestrana varijanta
Model 3247

R	G	VCR	PJ	Artikal
1/4	3/8	✓	10	458 867
3/8	1/2	✓	10	458 874
3/8	3/4	✓	10	458 881
1/2	3/4	✓	5	448 189
3/4	1	✓	1	448 196

VCR = hromirano



Redukcija
- bronza
- G-navoj, Rp-navoj
Oprema
Navoj nazubljen, višestrana varijanta
Model 3244

G	Rp	VCR	PJ	Artikal
3/4	1/2	✓	5	448 264

VCR = hromirano



Redukcija
 - bronza
 - R-navoj, Rp-navoj
Oprema
 Višestрана varijanta
Model 3241

R	Rp	VCR	PJ	Artikal
¼	¼	✓	1	447 946
¾	¼	✓	5	447 953
¾	¼	✓	5	447 960
½	¼	✓	1	447 977
½	¼	✓	5	447 984
½	¾	✓	10	447 991
¾	¾	✓	5	448 011
¾	½	✓	10	448 028
1	½	✓	5	448 042
1	¾	✓	5	448 059
1¼	1	✓	1	448 073

VCR = hromirano



Redukcija
 - bronza
 - R-navoj, Rp-navoj
 - okruglog oblika
Model 3242

R	Rp	VCR	PJ	Artikal
⅜	¼	✓	1	448 097
⅜	¾	✓	1	448 103
¼	¾	✓	5	448 110
¾	½	✓	10	448 127
¾	¾	✓	5	448 134
½	¾	✓	5	448 141
½	¾	✓	10	448 158
¾	½	✓	5	448 165
¾	1	✓	5	448 172

VCR = hromirano



Redukcija
 - bronza
 - G-navoj, M-navoj
Model 3251

G	M	VCR	PJ	Artikal
¾a	22x1i	✓	5	448 295

VCR = hromirano



Redukcija
 - bronza
 - G-navoj, M-navoj
Model 3252

G	M	VCR	PJ	Artikal
½a	22x1i	✓	5	448 318
½i	22x1a	✓	5	448 332
¾i	22x1a	✓	10	448 325

VCR = hromirano



Redukcija
 - bronza
 - M-navoj, G-navoj
Oprema
 Pljosnati zaptivač EPDM
Model 3253

G	M	VCR	PJ	Artikal
½a	24x1a	✓	5	448 356
¾a	24x1a	✓	10	448 349

VCR = hromirano


Dugačka spojnica

- bronza
- R-navoj
- Model 3530**

R	L	VCR	PJ	Artikal
3/8	40	✓	5	447 465
3/8	60	✓	1	447 472
3/8	80	✓	1	447 489
3/8	100	✓	1	447 496
1/2	40	✓	10	447 526
1/2	60	✓	10	447 533
1/2	80	✓	10	447 540
1/2	100	✓	5	447 557
1/2	120	✓	5	447 564
1/2	150	✓	1	447 571
1/2	200	✓	1	447 588
3/4	40	✓	5	447 595
3/4	60	✓	5	447 601
3/4	80	✓	1	447 618
3/4	100	✓	1	447 625
3/4	120	✓	1	447 632
3/4	150	✓	1	447 649
3/4	200	✓	1	447 656
1	40	✓	1	447 663
1	80	✓	1	447 687
1	100	✓	1	447 694
1	120	✓	1	447 700

VCR = hromirano


Produžetak za slavinu

- bronza
- unutrašnji G-navoj, spoljašnji G-navoj

Oprema

- Navoj nazubljen, višegaono udubljenje

Model 3526

G	L	VCR	PJ	Artikal
3/8	10	✓	10	448 769
3/8	15	✓	10	447 076 ¹
3/8	20	✓	10	447 083 ¹
3/8	25	✓	10	447 090 ¹
3/8	30	✓	10	447 106 ¹
3/8	40	✓	5	447 113 ¹
3/8	50	✓	5	447 120 ¹
1/2	10	✓	10	447 151 ¹
1/2	15	✓	10	447 168 ¹
1/2	20	✓	10	447 175 ¹
1/2	25	✓	10	447 182 ¹
1/2	30	✓	10	447 199 ¹
1/2	40	✓	10	447 205 ¹
1/2	50	✓	10	447 212 ¹
1/2	65	✓	5	447 229 ¹
1/2	80	✓	5	447 236 ¹
1/2	100	✓	5	447 243 ¹
3/4	10	✓	5	447 274 ¹
3/4	15	✓	10	447 281 ¹
3/4	20	✓	10	447 298 ¹
3/4	25	✓	10	447 304 ¹
3/4	30	✓	10	447 311 ¹
3/4	40	✓	10	447 328 ¹
3/4	50	✓	10	447 335 ¹
3/4	65	✓	5	447 342 ¹
3/4	80	✓	5	447 359 ¹
3/4	100	✓	5	447 366 ¹
1	20	✓	1	447 380
1	30	✓	1	447 403
1	80	✓	1	447 441*

VCR = hromirano

¹⁾ dugi unutrašnji navoj

* = Isporučka samo još iz zaliha na skladištu

**HROMIRANE SPOJNICE
ČEP**


Čep
- mesing
- G-navoj
Oprema
Četvorostrana varijanta
Model 1751

G	VCR	PJ	Artikal
1/8	✓	10	155 735
1/4	✓	10	137 649
3/8	✓	10	108 472
1/2	✓	10	105 099
3/4	✓	10	113 797
1	✓	5	124 465

VCR = hromirano



Kapa
- mesing
- G-navoj
- izvršena toplotna obrada
(popuštanje)
Oprema
Višestrana varijanta
Model 1761

G	VCR	PJ	Artikal
1/4	✓	10	150 334*
3/8	✓	10	107 741
1/2	✓	10	107 734
3/4	✓	10	106 782
1	✓	5	120 092

VCR = hromirano

* = Isporuka samo još iz zaliha na skladištu



Čep
- za sledeće komponente ili
namene: zaštita slepih vodova,
rozetna za slavinu ID20,5
- mesing
- G-navoj
Oprema
Četvorostrana varijanta
Model 1752

G	VCR	PJ	Artikal
3/8	✓	10	110 123
1/2	✓	10	102 814
3/4	✓	10	112 592

VCR = hromirano

**HROMIRANE SPOJNICE
DVOSTRUKI PRIKLJUČNI KOMADI**


Dvostruki priključni komad
- mesing
- G-navoj, 2 unutrašnja cevna
navoja Rp
Model 1641

Rp1	G	Rp2	VCR	PJ	Artikal
1/2	1/2	1/2	✓	5	106 881

VCR = hromirano



Šestostrana matica
- mesing
- G-navoj
Model 1911

G	VCR	PJ	Artikal
1/4	✓	10	140 083
3/8	✓	10	108 144
1/2	✓	10	108 670
3/4	✓	10	117 313
1	✓	5	139 162
2	✓	1	134 945

VCR = hromirano

SPOJNICE ZA GIPKU CEV


Spojnica za gipku cev
 - mesing
 - sa ravnim zaptivanjem
Oprema
 Višestrana pričrvsna matica
Model 1811

ID	GM	VCR	PJ	Artikal
3/8	1/2	✓	5	123 505
1/2	3/4	✓	5	105 327
3/4	1	✓	5	116 026 ¹
1	1 1/4	✓	5	142 483 ¹
3/8	1/2		5	109 318
1/2	3/4		5	101 473
3/4	1		5	104 276 ¹
1	1 1/4		5	112 325 ¹
1 1/4	1 1/2		2	127 909 ¹
1 1/2	1 3/4		2	151 638 ¹

ID = za unutrašnji prečnik creva
 GM = G-navoj matice
 VCR = hromirano
¹⁾ višestrana matica



Spojnica za gipku cev
 - mesing
 - sa konusnim zaptivanjem
Oprema
 Višestrana pričrvsna matica
Model 1812

ID	GM	VCR	PJ	Artikal
1/2	3/4	✓	5	117 696
3/8	1/2		5	129 323
1/2	3/4		5	109 073
3/4	1		5	111 793

ID = za unutrašnji prečnik creva
 GM = G-navoj matice
 VCR = hromirano



Spojnica za gipku cev
 - mesing
 - sa ravnim zaptivanjem, ugaona varijanta
Oprema
 Pričrvsni prsten
Model 1813

ID	GM	PJ	Artikal
1/2	3/4	10	107 949
3/4	1	10	126 360

ID = za unutrašnji prečnik creva
 GM = G-navoj matice



Spojnica za gipku cev
 - mesing
 - sa ravnim zaptivanjem, sa redukovanim presekom
Oprema
 Višestrana pričrvsna matica
Model 1814

ID	GM	VCR	PJ	Artikal
3/8	3/4	✓	5	124 779
1/2	1	✓	5	124 755 ¹
3/8	3/4		5	113 322
1/2	1		5	110 642 ¹
3/4	1 1/4		5	129 798 ¹

ID = za unutrašnji prečnik creva
 GM = G-navoj matice
 VCR = hromirano
¹⁾ višestrana matica



Spojnica za gipku cev
 - mesing
 - sa ravnim zaptivanjem
Oprema
 Višestrana pričrvsna matica
Model 1817

ID	GM	VCR	PJ	Artikal
1/2	1/2	✓	5	121 723
3/4	3/4	✓	5	131 807
1/2	1/2		5	111 717
3/4	3/4		5	114 008
1	1		5	124 694

ID = za unutrašnji prečnik creva
 GM = G-navoj matice
 VCR = hromirano


Spojnica za gipku cev

- mesing
- sa ravnim zaptivanjem

Oprema

Pričvrtna matica (navoj za perlator M22)

Model 1819

ID	M	VCR	PJ	Artikal
1/2	22x1a	✓	10	106 843

ID = za unutrašnji prečnik creva

VCR = hromirano


Spojnica za gipku cev

- mesing
- sa ravnim zaptivanjem

Oprema

Višestрана pričvrtna matica

Model 1821

ID	GM	PJ	Artikal
3/8	1/2	10	137 533
1/2	3/4	10	113 384
3/4	1	10	120 023 ¹

ID = za unutrašnji prečnik creva

GM = G-navoj matice

¹) višestрана matica

Spojnica za krutu cev

- mesing
- R-navoj
- sa ravnim zaptivanjem

Oprema

Višestрана pričvrtna matica, pljosnati zaptivač EPDM

Model 1831

R	ID	GM	PJ	Artikal
3/8	3/8	1/2	10	124 878
1/2	1/2	3/4	10	105 648
3/4	3/4	1	10	109 707 ¹
1	1	1 1/4	5	112 318 ¹
1 1/4	1 1/4	1 1/2	1	123 642 ¹
1 1/2	1 1/2	1 3/4	1	128 739 ¹
2	2	2 3/8	1	138 653 ¹

ID = za unutrašnji prečnik creva

GM = G-navoj matice

¹) višestрана matica

Spojnica za krutu cev

- mesing
- R-navoj
- sa konusnim zaptivanjem

Oprema

Višestрана pričvrtna matica

Model 1832

R	ID	GM	PJ	Artikal
3/8	3/8	1/2	10	122 416
1/2	1/2	3/4	10	104 498
3/4	3/4	1	10	108 816
1	1	1 1/4	5	110 734 ¹
1 1/4	1 1/4	1 1/2	1	119 454 ¹
1 1/2	1 1/2	1 3/4	1	125 219 ¹
2	2	2 3/8	1	131 432 ¹

ID = za unutrašnji prečnik creva

GM = G-navoj matice

¹) višestрана matica

Spojnica za krutu cev

- mesing
- Rp-navoj
- sa ravnim zaptivanjem

Oprema

Višestрана pričvrtna matica, pljosnati zaptivač EPDM

Model 1841

Rp	ID	GM	PJ	Artikal
3/8	3/8	1/2	10	145 026
1/2	1/2	3/4	10	119 690
3/4	3/4	1	10	126 568 ¹
1	1	1 1/4	5	130 121 ¹
1 1/4	1 1/4	1 1/2	1	150 761 ¹

ID = za unutrašnji prečnik creva

GM = G-navoj matice

¹) višestрана matica


Spojnica za krutu cev

- mesing
- Rp-navoj
- sa konusnim zaptivanjem

Oprema

- Višestрана pričvrсна matica

Model 1842

Rp	ID	GM	PJ	Artikal		
3/8	3/8	1/2	10	145 699		
1/2	1/2	3/4	10	121 013		
3/4	3/4	1	10	125 646¹		
1	1	1 1/4	5	127 916¹		
1 1/4	1 1/4	1 1/2	1	151 232¹		
1 1/2	1 1/2	1 3/4	1	154 325¹		

ID = za unutrašnji prečnik creva

GM = G-navoj matice

¹⁾ višestрана matica

Naglavak za gipku cev

- mesing
- R-navoj

Model 1845

R	ID	VCR	PJ	Artikal		
1/4	1/4	✓	5	140 540		
3/8	3/8	✓	10	131 067¹		
1/2	1/2	✓	5	120 702¹		
3/4	3/4	✓	10	137 212¹		
1/8	1/8		5	112 097		
1/4	1/4		5	110 598		
3/8	3/8		10	105 112¹		
1/2	1/2		10	101 442		
3/4	3/4		10	102 548¹		
1	1		10	104 467¹		

ID = za unutrašnji prečnik creva

VCR = hromirano

¹⁾ višestрана varijanta

Naglavak za gipku cev

- mesing
- Rp-navoj

Model 1846

Rp	ID	VCR	PJ	Artikal		
1/4	1/4	✓	10	125 431		
3/8	3/8	✓	10	135 393¹		
1/2	1/2	✓	10	136 185¹		
3/4	3/4	✓	5	145 781¹		
1/8	1/8		5	129 606		
1/4	1/4		5	130 084		
3/8	3/8		10	112 479¹		
1/2	1/2		10	105 679		
3/4	3/4		10	111 106¹		
1	1		10	118 105¹		

ID = za unutrašnji prečnik creva

VCR = hromirano

¹⁾ višestрана varijanta

Spojnica za gipku cev

- mesing
- lagana varijanta

Model 1851

ID	PJ	Artikal		
1/2	10	109 875		
3/4	10	108 168		
1	10	124 298		

ID = za unutrašnji prečnik creva


Spojnica za gipku cev

- mesing
- teška varijanta

Model 1852

ID	PJ	Artikal		
3/8	10	124 007		
1/2	10	110 925		
3/4	10	108 632		
1	5	130 701		

ID = za unutrašnji prečnik creva


Baštenska prskalica

- mesing

Model 1855

ID	PJ	Artikal		
1/2	10	114 251		
3/4	5	118 266		

ID = za unutrašnji prečnik creva


Obujmica za gipku cev

- pocinkovani čelik

Oprema

Navojna šipka

Model 1853

d	ID	PJ	Artikal
10-16	¼	100	112 721
12-22	½	100	103 330
16-27	¾	1000	104 580
25-40	1¼	100	109 868*
35-50	1½	50	114 039

ID = za unutrašnji prečnik creva

* = Isporuka samo još iz zaliha na skladištu


Naglavak za gipku cev

- za sledeće komponente ili namene: spojnice kako sa ravnim tako i sa konusnim zaptivnim navojem

- mesing

Model 1822-260

G	ID	PJ	Artikal
½	¾	1	132 767
¾	½	1	118 518
1	¾	1	124 243

ID = za unutrašnji prečnik creva


Pričvrtna matica

- mesing

- G-navoj

Oprema

Višestрана varijanta

Model 1121-654

G	d	PJ	Artikal
½	16,7	1	110 208
¾	22	1	107 895
1	26,8	1	105 709
1¼	33,8	1	103 811
1½	42,4	1	115 531
2	50,5	1	119 492


Pričvrtna matica

- mesing

- G-navoj

Model 1811-654

G	PJ	Artikal
½	1	118 860
¾	1	110 185
1	1	117 085¹⁾

¹⁾ višestрана varijanta

